



We offer free update service for one year!
<https://www.certqueen.com>

Exam : C_ADBTP

**Title : SAP Certified - SAP BTP
Administrator
(C_ADBTP_2601)**

Version : DEMO

1.Create Directories and Subaccounts

In a global account for SAP Business Technology Platform (BTP), create a hierarchy of subaccounts using directories.

Task 1: Create Directories

In your SAP BTP cockpit, create the directory Americas (Description: Americas Accounts) with your global account as the parent.

Create the directory Eurasia (Description: Eurasia Accounts) with your global account as the parent.

Create the directory Partner (Description: Partner Accounts) with the Americas directory as the parent.

Add the label access with value external.

Create the directory Human Resources (Description: Human Resources Accounts) with the Eurasia directory as the parent. Add the label access with value internal.

See the Explanation below for complete solution.

Answer:

Task 1: Create Directories

You need to create these directories:

Americas

Eurasia

Partner under Americas with label access=external

Human Resources under Eurasia with label access=internal

Before You Start

Log in to the SAP BTP Cockpit.

Make sure you are inside the correct Global Account.

Open the left-side navigation menu.

Why this is important:

All directories in this task must be created inside the correct global account hierarchy. If you create them in the wrong location, the simulation result will be incorrect.

Step 1 — Create Directory Americas

What to do

In the SAP BTP Cockpit, select your Global Account.

In the left navigation menu, click Directories.

Click Create or Create Directory.

Fill the fields as follows:

Name: Americas

Description: Americas Accounts

Parent: your Global Account

Click Create.

Explanation

This creates a top-level directory directly under the global account.

It will later be used as the parent for the Partner directory.

What to verify

After creation, you should see:

Americas

Create Directory

Display Name *	Description
Americas	Americas Accounts
Parent *	
BTP Admin Certification xxxx 	

> Advanced

Cockpit supports multi-level directories in your account structure.
You can add your new directory directly to the root global account or to an existing directory by choosing the location under Parent.



Create Cancel

listed under the directories of the global account.

Step 2 — Create Directory Eurasia

What to do

Stay in Directories.

Click Create Directory again.

Fill the fields:

Name: Eurasia

Description: Eurasia Accounts

Parent: your Global Account

Click Create.

Create Directory

Display Name *	Description
Eurasia	Eurasia Accounts
Parent *	
BTP Admin Certification xxxx 	

> Advanced

Cockpit supports multi-level directories in your account structure.
You can add your new directory directly to the root global account or to an existing directory by choosing the location under Parent.



Create Cancel

Explanation

This creates another top-level directory, parallel to Americas.

What to verify

You should now see both:

Americas

Eurasia

under the global account.

Step 3 — Create Directory Partner under Americas

What to do

In the Directories area, select Americas.

Click Create Directory.

Enter:

Name: Partner

Description: Partner Accounts

Parent: Americas

Locate the Labels section.

Add a new label:

Key: access

Value: external

Click Create.



Select Parent



☐ Show only directories I can create in [Expand All](#) [Collapse All](#)

▼  BTP Admin Certification xxxx

☐ Americas

☐ Eurasia

Select

Cancel

Create Directory

Display Name* Partner

Description Partner Accounts

Parent* Americas

▼ Advanced

☐ Enable entitlement management ☐ Enable user management

Add labels to this directory.

Name: access Values: external

+ Create Cancel

Explanation

This creates Partner as a child directory under Americas.

The label is required and must be entered exactly:

access = external

This label helps classify the directory.

What to verify

Under Americas, you should now see:

Partner

and the directory should contain the label:

access=external

Step 4 — Create Directory Human Resources under Eurasia

What to do

Go back to the Directories list.

Select Eurasia.

Click Create Directory.

Enter:

Name: Human Resources

Description: Human Resources Accounts

Parent: Eurasia

In the Labels section, add:

Key: access

Value: internal

Click Create.

Create Directory

Display Name*
Human Resources

Parent*
Eurasia

Description
Human Resources Accounts

Advanced

☐ Enable entitlement management ? ☐ Enable user management ?

Add labels to this directory. ?

Name: access Values: internal x

Create **Cancel**

Explanation

This creates Human Resources as a child directory under Eurasia.

The required label is:

access = internal

What to verify

Under Eurasia, you should now see:

Human Resources

and the label should be:

access=internal

Final Expected Directory Structure

After completing Task 1, your structure must be exactly like this:

Global Account

Americas

Partner

Label: access=external

Eurasia

Human Resources

Label: access=internal

Name	Type	Entitlement	Provider	Region	Labels	Changed On
Global Admin Certification	Global Account					March 20, 2026, 6:56:2...
Americas	Directory					March 22, 2026, 4:25:3...
Partner	Directory				1 label	March 22, 2026, 4:25:2...
Eurasia	Directory					March 22, 2026, 4:26:0...
Human Resources	Directory				1 label	March 22, 2026, 4:31:0...

Important Checks Before Moving On

Verify all of the following:

Americas exists

Eurasia exists

Partner is under Americas

Human Resources is under Eurasia

Partner has label access=external

Human Resources has label access=internal

All names and descriptions are entered exactly as required

Common Mistakes to Avoid

1. Wrong parent

Partner must be created under Americas

Human Resources must be created under Eurasia

2. Wrong label key or value

access # external

access # internal

3. Spelling errors

Be careful with:

Americas

Eurasia

Partner

Human Resources

4. Creating all directories directly under the global account

Only Americas and Eurasia are direct children of the global account.

Partner and Human Resources must be child directories.

2.Task 2: Create Subaccounts in a Directory

In the Partner directory, create the subaccount AM PA Dev Test (Description: Partner Development and Testing) with subdomain btpops####-am-pa-dev-test in the region Microsoft Azure # US West (WA) cf-us20.

In the Partner directory, create the subaccount AM PA Prod (Description: Partner Production) with subdomain btpops####-am-pa-prod using AM PA Dev Test as source subaccount. Set the subaccount as used in production.

See the Explanation below for complete solution.

Answer:

Task 2 — Create Subaccounts in a Directory

You must create these two subaccounts inside the Partner directory:

AM PA Dev Test

AM PA Prod

Important:

Replace #### with your global account number

Enter all names and subdomains exactly

Be careful with hyphens and spaces

AM PA Prod must be marked as used in production

Before You Start

Log in to SAP BTP Cockpit.

Open your correct Global Account.

Go to Directories.

Open the Partner directory.

Why this matters:

Both subaccounts in this task must be created inside the Partner directory. If you create them under the global account or another directory, the task will be wrong.

Step 1 — Open the Partner Directory

What to do

In the left menu, click Directories.

In the directory list, select Partner.

Explanation

The Partner directory is the container where both required subaccounts must be created.

What to verify

You should now be inside the Partner directory page.

Step 2 — Start Creating the First Subaccount

What to do

Inside the Partner directory, go to Subaccounts.

Click Create # Subaccount.

Explanation

This opens the subaccount creation screen.

What to verify

You should now see the form for creating a new subaccount.

Step 3 — Enter Data for AM PA Dev Test

What to do

Enter the following values:

Display Name / Name: AM PA Dev Test

Description: Partner Development and Testing

Subdomain: btpops#####-am-pa-dev-test

Then choose the region:

Cloud Provider: Microsoft Azure

Region: US West (WA)

Environment / Technical Region: cf-us20

After checking all values, click Create.

Create Subaccount

Display Name*
AM PA Dev Test

Region*
US West (WA)

Subdomain* ⓘ
btpops xxxx-am-pa-dev-test

Description
Partner Development and Testing

Parent*
Partner

> Advanced

Cockpit supports multi-level directories in your account structure.
You can add your new subaccount directly to the root global account or to an existing directory by choosing the location under Parent.

Create Cancel

Explanation

This creates the development and testing subaccount for the Partner directory.

The important points are:

the subaccount name must match exactly

the subdomain must include your account number in place of #####

the region must be Microsoft Azure # US West (WA) cf-us20

What to verify

After creation, you should see the new subaccount:

AM PA Dev Test

inside the Partner directory.

Step 4 — Confirm the First Subaccount Exists

What to do

Check the subaccounts list under Partner.

Explanation

Before creating the production subaccount, confirm that AM PA Dev Test was created successfully, because it will be used as the source subaccount for the next step.

What to verify

You should see:

AM PA Dev Test

If it is not there, do not continue until it is created correctly.

Name	Type	Environment	Provider	Region	Changed On
BTP Admin Certification	Global Account				March 25, 2026, 9:11:2...
Americas	Directory				March 26, 2026, 3:27:5...
Partner	Directory				March 26, 2026, 3:30:3...
AM PA Dev Test	Subaccount	Multi-Environment	Microsoft Azure	US West (WA)	March 26, 2026, 3:35:3...

Step 5 — Start Creating the Second Subaccount

What to do

Still inside the Partner directory, click Create # Subaccount again.

Explanation

This opens a new subaccount creation form for the production subaccount.

Step 6 — Enter Data for AM PA Prod

What to do

Enter the following values:

Display Name / Name: AM PA Prod

Description: Partner Production

Subdomain: btpops####-am-pa-prod

Then set:

Source Subaccount: AM PA Dev Test

Enable the production setting:

Used in Production: Yes

Then click Create.

Create Subaccount

Display Name*
AM PA Prod

Description
Partner Production

Region*
US West (WA)

Subdomain*
btpops xxxxam-pa-prod

Parent*
Partner

Advanced

☒ Used for production

☐ Enable beta features

Add labels to this subaccount.

Name: Values:

Enter label name

Create Cancel

Explanation

This creates the production subaccount by using AM PA Dev Test as the source subaccount.

Using a source subaccount means SAP BTP copies base settings from the selected source, which helps keep configuration aligned.

The production indicator is mandatory here because this is the production subaccount.

What to verify

After creation, you should see:

AM PA Prod

inside the Partner directory, and it should be marked as a production subaccount.

Final Expected Result for Task 2

Inside the Partner directory, you must have these two subaccounts:

1. AM PA Dev Test

Description: Partner Development and Testing

Subdomain: bt pops#####-am-pa-dev-test

Region: Microsoft Azure # US West (WA) cf-us20


2. AM PA Prod

Description: Partner Production

Subdomain: bt pops#####-am-pa-prod

Source Subaccount: AM PA Dev Test

Used in Production: Yes



Name	Type	Environment	Provider	Region	Changed On
BTP Admin Certification	Global Account				March 25, 2026, 5:11:2...
Americas	Directory				March 25, 2026, 3:27:5...
Partner	Directory				March 25, 2026, 3:30:3...
AM PA Dev Test	Subaccount	Multi-Environment	Microsoft Azure	US West (WA)	March 25, 2026, 3:35:3...
AM PA Prod	Subaccount	Multi-Environment	Microsoft Azure	US West (WA)	March 25, 2026, 3:39:3...

Common Mistakes to Avoid

1. Creating the subaccounts in the wrong place

Both subaccounts must be created in:

Partner directory

Not in:

Global Account

Americas

Eurasia

Human Resources

2. Wrong subdomain format

Use exactly:

bt pops#####-am-pa-dev-test

bt pops#####-am-pa-prod

Replace only ##### with your global account number.

Do not:

remove hyphens

add spaces

misspell dev-test or pa-prod

3. Wrong region for AM PA Dev Test

It must be:

Microsoft Azure

US West (WA)

cf-us20

4. Forgetting the source subaccount for AM PA Prod

You must select:

AM PA Dev Test

as the source subaccount.

5. Forgetting the production flag

For AM PA Prod, make sure:

Used in Production is enabled

3.Enable a Cloud Foundry Environment

Task 2: Enable and Configure a Cloud Foundry Environment

In your SAP BTP cockpit, in the EU HCM Dev subaccount, enable the Cloud Foundry environment in the cf-eu10-004 landscape. Set the instance name to cf-eu-hcm-dev and the org name to bt pops#####-eu-hcm-dev.

In the EU HCM Dev subaccount, create a space with the name activity-recording.

In the EU HCM Dev subaccount, create a space quota with the name half-org-quota . Halve the available org quota for memory, routes, service, and instance memory for an unlimited number of app instances.

Assign the space quota to activity-recording.

See the Explanation below for complete solution.

Answer:

Before you start

Log in to SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open Human Resources.

Open the EU HCM Dev subaccount.

This matters because the task must be completed specifically in EU HCM Dev . SAP documents that Cloud Foundry is enabled at subaccount level, and the system creates a Cloud Foundry org linked to that subaccount.

Part 1 — Enable the Cloud Foundry environment

Step 1 — Open the subaccount overview

In EU HCM Dev, go to Overview.

Explanation

SAP Help describes the cockpit flow for enabling Cloud Foundry from the subaccount Overview page.

What to verify

You should see a Cloud Foundry section on the overview page.

Step 2 — Start enabling Cloud Foundry

In the Cloud Foundry section, click Enable Cloud Foundry.

Explanation

This starts creation of the Cloud Foundry organization for the subaccount. SAP notes that when you enable Cloud Foundry in a subaccount, the system automatically creates a Cloud Foundry org for it.

Step 3 — Enter the required Cloud Foundry values

In the enablement dialog, enter:

Landscape: cf-eu10-004

Instance Name: cf-eu-hcm-dev

Org Name: btpops####-eu-hcm-dev

Then confirm by clicking Create or Enable.

Explanation

The task gives you the exact landscape and naming values to use. SAP documentation shows that enabling Cloud Foundry in the cockpit requires naming the Cloud Foundry instance and org.

What to verify

After the process completes, the subaccount should show Cloud Foundry as enabled, with the org created for EU HCM Dev.

Enable Cloud Foundry

1 Basic Info

Enter basic info for your environment instance.

Environment: * [Can't find what you're looking for?](#)

Cloud Foundry Runtime

Plan: *

standard

Landscape: *

cf-eu10-005

Instance Name: ⓘ


cf-eu-hcm-dev

Org Name: * ⓘ

btpops####-eu-hcm-dev

Cloud Foundry API endpoints may differ between subaccounts in the same region. The API endpoint for this subaccount is shown in the Cloud Foundry environment instance details.

Create Cancel



Part 2 — Create the space

Step 4 — Open Spaces

In EU HCM Dev, after Cloud Foundry is enabled, open:

Cloud Foundry

Spaces

Explanation

SAP Help shows that spaces are created from the Spaces area after Cloud Foundry is enabled in the subaccount.




Step 5 — Create the space

Click Create Space.

Enter:

Space Name: activity-recording

Confirm by clicking Create.



Explanation

This creates the required Cloud Foundry space inside the org for EU HCM Dev . SAP's cockpit documentation and setup guides show this as the standard next step after enabling the environment.

What to verify

You should now see:

activity-recording

in the list of Cloud Foundry spaces.

Part 3 — Create the space quota

Step 6 — Open Cloud Foundry Space Quotas

In EU HCM Dev, open:

Cloud Foundry

Space Quotas

Explanation

SAP Help states that, in the Cloud Foundry environment, the quotas allocated to a subaccount can be further distributed by creating space quota plans, and these are managed from the Cloud Foundry Space Quotas area.

Step 7 — Create a new space quota

Click Create Space Quota or New Space Quota.

Enter the quota name:

half-org-quota

Explanation

This creates a quota plan that you will assign to the required space. SAP Help describes creating space quota plans in the subaccount and then assigning them to spaces.

Step 8 — Set quota values to half of the org quota

In the quota form, set the values to half of the available org quota for:

Memory

Routes

Services

Instance Memory

For App Instances, set:

Unlimited

Then save the quota.

Create Space Quota

i You are allowed to add a value above the org quota, but the org quota is the consumable limit you can reach.
To assign the "Unlimited" value, use -1.

Name: * half-org-quota

Space Memory (MB): * 512
Org Quota: 1024 MB (1GB)

Routes: * 5
Org Quota: 10

Service Instances: * 250
Org Quota: 500

Memory per Instance (MB): * 8192
Org Quota: 16384 MB (16GB)

App Instances: * -1
Org Quota: Unlimited

Allow Paid Services: ☐ OFF

Create **Cancel**

Explanation

The simulation asks you to halve the available org quota for those four dimensions. SAP Help confirms that space quotas are used to limit resource consumption inside the org by defining values such as memory, routes, and service instances, and that these plans can then be assigned to spaces.

How to calculate "half"

Use the current org quota values shown in the Cloud Foundry quota screens and divide each by 2 before entering it.

Examples:

If org memory = 2 GB, enter 1 GB

If routes = 20, enter 10

If services = 200, enter 100

If instance memory = 2 GB, enter 1 GB

What to verify

The new quota plan should exist as:

half-org-quota

with the reduced values saved.

BTP Admin Certification 3974 / EU HCM Dev

Subaccount: EU HCM Dev - Space Quotas

Space Quotas

Quota Assignments

Space Quotas (1)

half-org-quota

Not assigned



Space Memory:

512MB

Paid Services:

Not Allowed

Routes:

5

App Instances:

Unlimited

Service Instances:

250

Memory per Instance:

8GB

Part 4 — Assign the quota to the space

Step 9 — Assign the quota to activity-recording

Open the newly created quota:

half-org-quota

Choose Assign Spaces or Assign to Spaces Select:

activity-recording

Save the assignment




Explanation

SAP Help states that after creating a space quota, you assign it to one or more spaces from the space quota management flow.

What to verify

The quota half-org-quota should now be assigned to:

activity-recording



Final expected result
Inside EU HCM Dev :
Cloud Foundry is enabled

landscape is cf-eu10-004
instance name is cf-eu-hcm-dev
org name is btpops####-eu-hcm-dev
space activity-recording exists
space quota half-org-quota exists
memory, routes, services, and instance memory are each set to half of the available org quota
app instances are unlimited
quota half-org-quota is assigned to activity-recording
Common mistakes to avoid
Enabling Cloud Foundry in the wrong subaccount; it must be EU HCM Dev.
Using the wrong landscape; the task explicitly requires cf-eu10-004.
Typing the wrong org name; use exactly btpops####-eu-hcm-dev.
Forgetting to create the space before assigning the quota.
Entering full org quota instead of half.
Limiting app instances to a number instead of leaving them unlimited.
Creating the quota but not assigning it to activity-recording.

4.Establish Shared Services

Task 2: Entitle and Subscribe a Service in a Shared Subaccount

In your SAP BTP cockpit, in your SH Dev subaccount, entitle one standard (Application) service plan for the SAP Build Work Zone, advanced edition.

In the SH Dev subaccount, establish a trust to the agvlamkzw.accounts.ondemand.com identity provider.

In your SH Dev subaccount, create a service subscription for SAP Build Work Zone, advanced edition with the standard service plan.

See the Explanation below for complete solution.

Answer:

Before you start

Log in to SAP BTP Cockpit.

Open your correct Global Account.

Go to the Shared Services directory.

Open the SH Dev subaccount.

This matters because all three required actions must be done inside SH Dev, not in the directory and not in another subaccount.

Part 1 — Entitle the service in SH Dev


Step 1 — Open the subaccount

In the cockpit, choose Directories.

Open Shared Services.

Select SH Dev.

You should now be on the SH Dev subaccount page.



Step 2 — Open Entitlements

In SH Dev, choose Entitlements.

SAP documents that service plans and quotas for a subaccount are added in the subaccount's Entitlements area.

Step 3 — Add the required service plan

Click Configure Entitlements or Add Service Plans.


Search for SAP Build Work Zone, advanced edition.

Select the service.

Choose the plan standard (Application).

Set the quantity to 1 if a quota/amount field is shown.

Save the entitlement changes.



This task explicitly asks for one standard (Application) service plan. SAP Help also notes that SAP Build Work Zone usage depends on the correct entitlement being available in the subaccount first.

Verify

Under Entitlements, you should now see:

SAP Build Work Zone, advanced edition

plan: standard (Application)

quantity: 1 if shown

Part 2 — Establish trust to the identity provider

Step 4 — Open Trust Configuration

In SH Dev, go to Security.

Choose Trust Configuration.

SAP Help states that trust to a custom identity provider is established from Security > Trust Configuration in the SAP BTP cockpit.

Step 5 — Create the trust

Click Establish Trust.


Enter or select the identity provider:

agvlamkzw.accounts.ondemand.com

Continue through the wizard.

Save the trust configuration.

SAP documents that to use a custom identity provider, the subaccount must have a trust relationship to that provider. SAP also highlights that apps such as SAP Build Work Zone rely on SAP Cloud Identity Services trust configuration.




Verify

On the Trust Configuration page, you should see:

agvlamkzw.accounts.ondemand.com

as a trusted identity provider.



Part 3 — Create the subscription

Step 6 — Open Instances and Subscriptions

In SH Dev, go to Services.

Choose Instances and Subscriptions.

Step 7 — Create the subscription

Click Create.

Choose Subscription if the cockpit asks for a type.

Search for SAP Build Work Zone, advanced edition.

Select the service.

Choose the plan standard.

Confirm the creation.

SAP Help for SAP Build Work Zone scenarios indicates that the subaccount needs the correct entitlements and subscription flow to expose and use SAP Build Work Zone content.

Step 8 — Confirm subscription status

Stay on Instances and Subscriptions.

Check that the new subscription appears and is active.

Verify

You should see:

SAP Build Work Zone, advanced edition

plan: standard

subscription created successfully

New Instance or Subscription

1
Basic Info

Enter basic info for your instance or subscription.

i Some services are not shown because Cloud Foundry is not enabled. To enable it, select it from the Service dropdown menu and create an instance of it.

Service:* *i* Can't find what you're looking for?

SAP Build Work Zone, advanced edition

Plan:*

standard

Create Cancel

Final expected result

Inside SH Dev :

the entitlement for SAP Build Work Zone, advanced edition exists

the entitled plan is standard (Application)

trust is established to agvlamkzw.accounts.ondemand.com

a subscription exists for SAP Build Work Zone, advanced edition

the subscription uses the standard plan

Common mistakes to avoid


Doing the entitlement in Shared Services directory instead of SH Dev

Choosing SAP Build Work Zone, standard edition instead of advanced edition

Choosing the wrong plan; the entitlement must be standard (Application)

Forgetting the trust step to agvlamkzw.accounts.ondemand.com

Trying to subscribe before the entitlement exists



5.Enable a Cloud Foundry Environment

Add a service plan for Cloud Foundry environment and enable it in a subaccount.

Task 1: Add a Service Plan for Cloud Foundry Environment

In your SAP BTP cockpit, in your EU HCM Dev subaccount, entitle one MEMORY service plan for the Cloud Foundry Runtime.

See the Explanation below for complete solution.

Answer:

Before you start

Log in to SAP BTP Cockpit.

Open your correct Global Account.

Go to the Human Resources directory.

Open the EU HCM Dev subaccount.

This matters because the runtime memory quota must be assigned to the EU HCM Dev subaccount

specifically. SAP documents that the MEMORY plan is the quota-bearing plan for Cloud Foundry Runtime.

Step 1 — Open the EU HCM Dev subaccount

In the cockpit, choose Directories.

Open Human Resources.

Select EU HCM Dev.

You should now be on the EU HCM Dev subaccount page.

Step 2 — Open Entitlements

In EU HCM Dev, choose Entitlements.

SAP Help confirms that service plans and quota assignments for a subaccount are configured in the Entitlements area.

Step 3 — Configure entitlements

Click Configure Entitlements or Add Service Plans.

Search for:

Cloud Foundry Runtime

In SAP Help, this appears as Cloud Foundry Runtime (APPLICATION_RUNTIME), and the relevant plan for assigning runtime memory is MEMORY.

Step 4 — Select the MEMORY plan

Under Cloud Foundry Runtime, select:

MEMORY

Set the quantity to 1 if the cockpit shows an amount/quota field.

Add the plan to the subaccount.

Save the entitlement changes.

The screenshot displays the SAP Cockpit interface for adding service plans to a subaccount. The main window is titled 'Subaccount EU HCM Dev: Add Service Plans'. It is divided into two main sections. The left section, 'Services', contains a search bar with 'cloud' entered and a list of services available to the subaccount. 'Cloud Foundry Runtime' is highlighted. The right section, 'Service Details: Cloud Foundry Runtime', shows the details for the 'APPLICATION_RUNTIME' service. Under 'Available Plans', the 'MEMORY' plan is selected. A note explains that this plan provisions application runtime memory (GB) and is not applicable to the Free plan. At the bottom, a status bar indicates '1 selected plan' and 'Services: Cloud Foundry Runtime (1 plan)'. Buttons for 'Add 1 Service Plan' and 'Cancel' are visible in the bottom right corner.

SAP documents that the MEMORY plan is specifically used to assign runtime memory quota to the subaccount, and that 1 unit corresponds to 1 GB of runtime memory when quota is adjusted or assigned.

Step 5 — Verify the result

After saving, check the Entitlements page of EU HCM Dev.

You should see:

Cloud Foundry Runtime

plan: MEMORY

quantity: 1 if shown

Final expected result

Inside EU HCM Dev:

Cloud Foundry Runtime is entitled

the service plan is MEMORY

the assigned amount is 1 if the cockpit displays quantity/quota units

Common mistakes to avoid

Doing this in the wrong subaccount; it must be EU HCM Dev

Choosing the wrong Cloud Foundry plan; the task asks for MEMORY

Forgetting to save the entitlement change after adding the plan

Confusing the runtime memory entitlement with the later step of actually enabling the Cloud Foundry environment; SAP distinguishes the MEMORY runtime quota from enabling the Cloud Foundry org itself.