



We offer free update service for one year!  
<https://www.certqueen.com>

**Exam : NSE6\_FML-6.2**

**Title : Fortinet NSE 6 - FortiMail  
6.2**

**Version : DEMO**

1.Refer to the exhibit.

| Mail Server Settings               | Relay Host List                     | Disclaimer | Disclaimer Exclusion List | Storage |
|------------------------------------|-------------------------------------|------------|---------------------------|---------|
| <b>Local Host:</b>                 |                                     |            |                           |         |
| Host name:                         | mx                                  |            |                           |         |
| Local domain name:                 | example.com                         |            |                           |         |
| SMTP server port number:           | 25                                  |            |                           |         |
| SMTP over SSL/TLS                  | <input checked="" type="checkbox"/> |            |                           |         |
| SMTPS server port number:          | 465                                 |            |                           |         |
| SMTP MSA service                   | <input type="checkbox"/>            |            |                           |         |
| SMTP MSA port number:              | 587                                 |            |                           |         |
| POP3 server port number:           | 110                                 |            |                           |         |
| Default domain for authentication: | --None--                            |            |                           |         |
| Redirect HTTP to HTTPS             | <input checked="" type="checkbox"/> |            |                           |         |

Which two statements about the mail server settings are true? (Choose two.)

- A. FortiMail will support the STARTTLS extension
- B. FortiMail will accept SMTPS connections
- C. FortiMail will drop any inbound plaintext SMTP connection
- D. FortiMail will enforce SMTPS on all outbound sessions

**Answer:** B,C

2.A FortiMail is configured with the protected domain example.com.

On this FortiMail, which two envelope addresses are considered incoming? (Choose two.)

- A. MAIL FROM: accounts@example.com RCPT TO: sales@external.org
- B. MAIL FROM: support@example.com RCPT TO: marketing@example.com
- C. MAIL FROM: training@external.org RCPT TO: students@external.org
- D. MAIL FROM: mis@hosted.net RCPT TO: noc@example.com

**Answer:** C,D

**Explanation:**

Reference: [https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/9aa62d26-858d-11ea-9384-00505692583a/FortiMail-6.4.0-Administration\\_Guide.pdf](https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/9aa62d26-858d-11ea-9384-00505692583a/FortiMail-6.4.0-Administration_Guide.pdf) (30)

3.Which FortiMail option removes embedded code components in Microsoft Word, while maintaining the original file format?


- A. Behavior analysis
- B. Impersonation analysis
- C. Content disarm and reconstruction
- D. Header analysis

**Answer: C**

**Explanation:**

Reference: <https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/8c063dd3-bafe-11e9-a989-00505692583a/fortimail-admin-620.pdf> (435)

4.Refer to the exhibit.



An administrator must enforce authentication on FML-1 for all outbound email from the example.com domain.

Which two settings should be used to configure the access receive rule? (Choose two.)

- A. The Recipient pattern should be set to \*@example.com
- B. The Authentication status should be set to Authenticated
- C. The Sender IP/netmask should be set to 10.29.1.0/24
- D. The Action should be set to Reject

**Answer: B,C**

5.Refer to the exhibit.

```
C:\>nslookup -type=mx example.com
Server:  PriNS
Address: 10.200.3.254
```

Non-authoritative answer:

```
example.com      MX preference = 10, mail exchanger = mx.hosted.com
example.com      MX preference = 20, mail exchanger = mx.example.com
```

Which two statements about the MTAs of the domain example.com are true? (Choose two.)

- A. The external MTAs will send email to mx.example.com only if mx.hosted.com is unreachable
- B. The PriNS server should receive all email for the example.com domain
- C. The primary MTA for the example.com domain is mx.hosted.com
- D. The higher preference value is used to load balance more email to the mx.example.com MTA

**Answer:** A,C